

# AQUA

PERFORMANCE  
COATINGS



WATER-BASED PRODUCT RANGE



**Veneziani** YACHTING™

used under license of Cofacifica Zettagi S.p.A.


# PERFORMANCE AND SUSTAINABILITY WITHOUT COMPROMISE

Veneziani Yachting offers AQUA range of water-based products that combines advanced technology, high performance and low environmental impact - **Natural Protection for Your Boat.**

The products are solvent-free, odourless with low VOC emissions and can be applied safely even in poorly ventilated areas or boat production lines and factories. The fast-drying action offers the opportunity for the entire painting system to be completed in a single day.

The AQUA range is the ideal choice for those seeking performance, versatility and environmental responsibility, without compromising quality.

# AQUA



# Aqua Primer – Cod. 706.413

## One-component water-based primer



2,5 Lt

Innovative water-based primer designed to be coated with AQUA anti-fouling to complete the AQUA coating system. AQUA Primer is easy to apply, is fast drying with exceptional adhesion to prepared wood, aluminium and composites, even on cleaned, non-sanded gelcoat & fiberglass. The solvent-free formulation is virtually odourless offering a safe environment for the user and any surrounding work force, suitable for use in non-ventilated environments, such as boat production lines & factories - VOC content reduced to 44 g/L, about 10 times lower than solvent-based primers.

759 Grey

Technical specifications	
Theoretical coverage	11,7 m <sup>2</sup> /Lt
Number of recommended coats	2
Recoating interval (min/max)	4h / 48h
Full drying	7 days
Application	Roller, Brush and Spray (for professional use only)

Extremely high adhesion.


VOC is only 44 g/Lt, can be applied safely in areas of poor ventilation.

Odourless.

Fast drying, the entire painting system can be applied in one day.

Ready to use, for brush and roller application.

Human health protection.



# Aqua Anti-fouling – Cod. 706.423

## Hard matrix water-based anti-fouling



2,5 - 10\* Lt

\*Colours and format on request

Innovative water-based anti-fouling is suitable for both saltwater and freshwater.

AQUA anti-fouling is easy to apply, is fast drying, and ensures a smooth and low-friction surface, offering high performance comparable to traditional solvent-based anti-fouling.

The solvent-free formulation is safer for the user, any surrounding work force and the environment with a VOC content of only 60 g/L (10 times lower than solvent-based products).

AQUA Anti-fouling meets IMO requirements (AFS/CONF/26), and contains active substances compliant with BPR Regulation (EU No. 528/2012).

Not suitable for aluminum hulls.

Technical specifications	
Theoretical coverage	7 m <sup>2</sup> /Lt
Number of recommended coats	2
Recoating interval (min/max)	3h / -
Launching interval (min/max)	16h / 1 month
Thinner	Water
Application	Roller, Brush and Spray (for professional use only)



201 Black



515 Blue



377 Dark Red\*



715 Light Grey\*

The colours shown are indicative and for illustrative purposes only



VOC is only 60 g/Lt, can be applied safely in areas of poor ventilation.



Ready to use, for brush and roller application.



Odourless.



Human health protection.



Fast drying, the entire painting system is applicable in one day.



12 months anti-fouling protection.



## S-Protect Aqua – Cod. 7W6.512

Water-based protective stain



0,75 Lt

One-component water-based stain developed for interior decoration and protection for wood exposed to harsh environments, including marine atmospheric conditions.

This quick drying and odourless product enhances the beauty of the wood grain without affecting its appearance, offering deep down protection while allowing the wood to breathe.

Technical specifications	
Theoretical coverage	30 m <sup>2</sup> /Lt
Number of recommended coats	2
Thinner	Water
Application	Brush



000 Clear



373 Mahogany



375 Walnut



376 Teak

The colours shown are indicative and for illustrative purposes only

## V-Shine Aqua – Cod. 7W6.312

## V-Matt Aqua – Cod. 7W6.314

Water-based gloss & matt varnish



0,75 - 2,5 Lt

One-component water-based varnishes developed specifically for protecting wooden structures exposed to aggressive conditions, including marine environments. Easy to apply and quick drying with good flow, flexibility and weather resistance.

Ideal for application in closed environments due to odourless and low VOC.

Technical specifications	
Theoretical coverage	10 m <sup>2</sup> /Lt
Number of recommended coats	5
Thinner	Water
Application	Brush



000 Clear

## VB-Shine Aqua – Cod. 7W6.322

## VB-Matt Aqua – Cod. 7W6.324

Water-based polyurethane gloss & matt varnish



1 Lt

Two-component water-based polyurethane clear varnishes that are easy to apply with excellent flow. These varnishes have excellent abrasion resistance with high weather resistance including marine environments and are non-yellowing. Particularly suitable for treating bulkheads, furniture and all interior wood surfaces. Also excellent for wood decking and planking. Not suitable for continuously immersed surfaces.

Technical specifications	
Theoretical coverage	12 m <sup>2</sup> /Lt
Number of recommended coats	5
Mixing ratio	5:1
Thinner	Water
Application	Roller, Brush and Spray



000 Clear



**Veneziani Yachting**

Used under licence of Colorificio Zetagi S.r.l.

Boero Bartolomeo S.p.A.

Via G. Macaggi, 19 - 16121 Genova - Italy

Tel. +39 010 5500.1

[venezianiyachting.com](http://venezianiyachting.com) - [info@venezianiyachting.com](mailto:info@venezianiyachting.com)

